

December 28, 2017

Safety Compliance Facilities - Testing

The purpose of this technical bulletin is intended to address requests for clarification on Rule 31(6) and (7) of the Emergency Administrative Rules filed on December 4, 2017.

- For clarification purposes, the acceptable limits for heavy metals listed in subrule (6) of Rule 31 are calculated per day per kg body weight or uG/KG b.w./day using 70 kg as the adult body weight average.

(6) For the purposes of the heavy metal test, a sample of marihuana is deemed to have passed if it meets the following standards:

Metal	Natural Health Products Acceptable Limits uG/KG *b.w./day
Arsenic.....	<0.14
Cadmium.....	<0.09
Lead.....	<0.29
Mercury.....	<0.29

- For clarification purposes, ISO/IEC 17025:2005 standard referenced in Rules 3 and 31(7), has been revised by ISO/IEC 17025:2017 when ISO published its latest standard on 11/29/17. The department intends to reflect this change in future rules.

This technical bulletin does not constitute legal advice and is subject to change. It is intended to provide a technical clarification only to the Department of Licensing and Regulatory Affairs' Emergency Administrative Rules which were promulgated on December 4, 2017. Licensees are encouraged to seek legal counsel to ensure their operations comply with the Medical Marihuana Facilities Licensing Act and associated Emergency Administrative Rules.

A complete copy of the Emergency Rules can be found at:

http://www.michigan.gov/documents/opt/Emergency_Rules_Medical_Marihuana_Facilities_Licensing_Act_607643_7.pdf More information on the BMMR can be found at the bureau's website: www.michigan.gov/bmmr.

For more information about LARA, please visit www.michigan.gov/lara

Follow us on Twitter www.twitter.com/michiganLARA

“Like” us on Facebook or find us on YouTube www.youtube.com/michiganLARA